



Ref. Certif. No.

DE 2-040576-M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

SWITCHING POWER SUPPLY

Name and address of the applicant

MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu District, New Taipei City 24891 Taiwan

Name and address of the manufacturer

MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu District, New Taipei City 24891 Taiwan

Name and address of the factory

See additional page(s)

Ratings and principal characteristics

Rated Input: 1) 100-240Vac, 2.5-1.0A, 50/60Hz
2) 3) 100-240Vac, 3.5-1.8A, 50/60Hz
Protection Class: Class I

Trademark (if any)

Trademark of MEAN WELL Enterprises Co., Ltd. (logo)

Customer's Testing Facility (CTF) Stage used

N/A

Model / Type Ref.

1) LOP-200-x, 2) LOP-300-30, 3) LOP-300-x
(x= 12, 15, 18, 24, 27, 36, 48 or 54)

Additional information (if necessary may also be reported on page 2)

Rated Output: Refer to the test report for details.
For model differences, refer to the report.
Re-issue of DE 2-040576 dated 2023-11-28,
due to first modification.

A sample of the product was tested and found to be in conformity with

IEC 61558-2-16:2021
IEC 61558-1:2017

As shown in the Test Report Ref. No. which forms part of this Certificate

CN23IC89 002

This CB Test Certificate is issued by the National Certification Body



TÜV Rheinland LGA Products GmbH
Tillystr. 2, 90431 Nürnberg, Germany
Phone + 49 221 806-1371
Fax + 49 221 806-3935
Mail: cert-validity@de.tuv.com
Web : www.tuv.com

Date: 2024-02-29

Signature:

Sunny Sun

1. MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu District,
New Taipei City 24891
Taiwan
2. Yongden Technology Corporation
345 MacArthur Highway, Tabang,
Guiguinto, Bulacan 3015
Philippines
3. MEAN WELL INDIA ELECTRONICS PRIVATE
LIMITED
9C, Peenya industrial area, Chokkasandra, 2ND PHASE, PEENYA,
Bengaluru (Bangalore) Urban, Karnataka, 560058
India
4. Suzhou MEAN WELL Technology Co., Ltd.
No.269, Changping Road, Huangdai Town,
Xiangcheng District, Suzhou
Jiangsu
P.R. China
5. Suzhou MEAN WELL Technology Co., Ltd.
No. 77, Jian-Min Road,
Dong-Qiao, Pan-Yang Ind. Park,
Huang-Dai Town, Xiang-Cheng District,
Suzhou, 215152 Jiangsu, P.R. China
6. MEAN WELL (GUANGZHOU) Electronics
Co., Ltd.
No. 11 Jingu South Road, Huadu District,
Guangzhou
510890 Guangdong, P.R. China

Additional information (if necessary)

Report Ref. No. : CN23IC89 002



Date: 2024-02-29

Signature:

Sunny Sun



® TM

Ref. Certif. No.

DE 2-040576

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

SWITCHING POWER SUPPLY

Name and address of the applicant

MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu District, New Taipei City 24891 Taiwan

Name and address of the manufacturer

MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu District, New Taipei City 24891 Taiwan

Name and address of the factory

See additional page(s)

Ratings and principal characteristics

Rated Input: 1) 100-240Vac, 2.5-1.0A, 50/60Hz
2) 100-240Vac, 3.5-1.8A, 50/60Hz
Protection Class: Class I

Trademark (if any)

Trademark of MEAN WELL Enterprises Co., Ltd. (logo)

Customer's Testing Facility (CTF) Stage used

N/A

Model / Type Ref.

1) LOP-200-x, 2) LOP-300-x
(x= 12, 15, 18, 24, 27, 36, 48 or 54)

Additional information (if necessary may also be reported on page 2)

Rated Output: Refer to the test report for details.
For model differences, refer to the report.

A sample of the product was tested and found to be in conformity with

IEC 61558-2-16:2021
IEC 61558-1:2017

As shown in the Test Report Ref. No. which forms part of this Certificate

CN23IC89 001

This CB Test Certificate is issued by the National Certification Body



TÜVRheinland®

TÜV Rheinland LGA Products GmbH
Tillystr. 2, 90431 Nürnberg, Germany
Phone + 49 221 806-1371
Fax + 49 221 806-3935
Mail: cert-validity@de.tuv.com
Web : www.tuv.com

Date: 2023-11-28

Signature:

Hongyan Yu

1. Suzhou MEAN WELL Technology Co., Ltd.
No. 77, Jian-Min Road,
Dong-Qiao, Pan-Yang Ind. Park,
Huang-Dai Town, Xiang-Cheng District,
Suzhou, 215152 Jiangsu, P.R. China
2. Suzhou MEAN WELL Technology Co., Ltd.
No.269, Changping Road, Huangdai Town,
Xiangcheng District, Suzhou
Jiangsu
P.R. China
3. MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu District,
New Taipei City 24891
Taiwan
4. MEAN WELL (GUANGZHOU) Electronics
Co., Ltd.
No. 11 Jingu South Road, Huadu District,
Guangzhou
510890 Guangdong, P.R. China
5. Yongden Technology Corporation
345 MacArthur Highway, Tabang,
Guiguinto, Bulacan 3015
Philippines
6. MEAN WELL INDIA ELECTRONICS PRIVATE
LIMITED
9C, Peenya industrial area, Chokkasandra, 2ND PHASE, PEENYA,
Bengaluru (Bangalore) Urban, Karnataka, 560058
India

Additional information (if necessary)

Report Ref. No. : CN23IC89 001

Date: 2023-11-28

Signature:



Hongyan Yu



Ref. Certif. No.

DE 2-040577-M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

SWITCHING POWER SUPPLY

Name and address of the applicant

MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu District, New Taipei City 24891 Taiwan

Name and address of the manufacturer

MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu District, New Taipei City 24891 Taiwan

Name and address of the factory

See additional page(s)

Ratings and principal characteristics

Rated Input: 1) 100-240Vac, 2.5-1.0A, 50/60Hz
2) 3) 100-240Vac, 3.5-1.8A, 50/60Hz
Protection Class: Class II

Trademark (if any)

Trademark of MEAN WELL Enterprises Co., Ltd. (logo)

Customer's Testing Facility (CTF) Stage used

N/A

Model / Type Ref.

1) LOP-200-x, 2) LOP-300-30, 3) LOP-300-x
(x= 12, 15, 18, 24, 27, 36, 48 or 54)

Additional information (if necessary may also be reported on page 2)

Rated Output: Refer to the test report for details.
For model differences, refer to the report.
Re-issue of DE 2-040577 dated 2023-11-28,
due to first modification.


A sample of the product was tested and found to be in conformity with

IEC 61558-2-16:2021
IEC 61558-1:2017

As shown in the Test Report Ref. No. which forms part of this Certificate

CN23UQ0R 002

This CB Test Certificate is issued by the National Certification Body



TÜV Rheinland LGA Products GmbH
Tillystr. 2, 90431 Nürnberg, Germany
Phone + 49 221 806-1371
Fax + 49 221 806-3935
Mail: cert-validity@de.tuv.com
Web : www.tuv.com

Date: 2024-03-01

Signature:

Sunny Sun

1. MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu District,
New Taipei City 24891
Taiwan
2. Yongden Technology Corporation
345 MacArthur Highway, Tabang,
Guiguinto, Bulacan 3015
Philippines
3. MEAN WELL INDIA ELECTRONICS PRIVATE
LIMITED
9C, Peenya industrial area, Chokkasandra, 2ND PHASE, PEENYA,
Bengaluru (Bangalore) Urban, Karnataka, 560058
India
4. Suzhou MEAN WELL Technology Co., Ltd.
No.269, Changping Road, Huangdai Town,
Xiangcheng District, Suzhou
Jiangsu
P.R. China
5. Suzhou MEAN WELL Technology Co., Ltd.
No. 77, Jian-Min Road,
Dong-Qiao, Pan-Yang Ind. Park,
Huang-Dai Town, Xiang-Cheng District,
Suzhou, 215152 Jiangsu, P.R. China
6. MEAN WELL (GUANGZHOU) Electronics
Co., Ltd.
No. 11 Jingu South Road, Huadu District,
Guangzhou
510890 Guangdong, P.R. China

Additional information (if necessary)

Report Ref. No. : CN23UQ0R 002



Date: 2024-03-01

Signature:

Sunny Sun

IEC**IECEE**

®

TM

Ref. Certif. No.

DE 2-040577

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME**CB TEST CERTIFICATE**

Product

SWITCHING POWER SUPPLY

Name and address of the applicant

MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu District, New Taipei City 24891 Taiwan

Name and address of the manufacturer

MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu District, New Taipei City 24891 Taiwan

Name and address of the factory

See additional page(s)

Ratings and principal characteristics

Rated Input: 1) 100-240Vac, 2.5-1.0A, 50/60Hz
2) 100-240Vac, 3.5-1.8A, 50/60Hz
Protection Class: Class II

Trademark (if any)

Trademark of MEAN WELL Enterprises Co., Ltd. (logo)

Customer's Testing Facility (CTF) Stage used

N/A

Model / Type Ref.

1) LOP-200-x, 2) LOP-300-x
(x= 12, 15, 18, 24, 27, 36, 48 or 54)Additional information (if necessary may
also be reported on page 2)Rated Output: Refer to the test report for details.
For model differences, refer to the report.A sample of the product was tested and
found to be in conformity withIEC 61558-2-16:2021
IEC 61558-1:2017As shown in the Test Report Ref. No. which
forms part of this Certificate

CN23UQ0R 001

This CB Test Certificate is issued by the National Certification Body

**TÜVRheinland**®TÜV Rheinland LGA Products GmbH
Tillystr. 2, 90431 Nürnberg, Germany
Phone + 49 221 806-1371
Fax + 49 221 806-3935
Mail: cert-validity@de.tuv.com
Web : www.tuv.com

Date: 2023-11-28

Signature:

Hongyan Yu

1. Suzhou MEAN WELL Technology Co., Ltd.
No. 77, Jian-Min Road,
Dong-Qiao, Pan-Yang Ind. Park,
Huang-Dai Town, Xiang-Cheng District,
Suzhou, 215152 Jiangsu, P.R. China
2. Suzhou MEAN WELL Technology Co., Ltd.
No.269, Changping Road, Huangdai Town,
Xiangcheng District, Suzhou
Jiangsu
P.R. China
3. MEAN WELL Enterprises Co., Ltd.
No. 28, Wuquan 3rd Rd.,
Wugu District,
New Taipei City 24891
Taiwan
4. MEAN WELL (GUANGZHOU) Electronics
Co., Ltd.
No. 11 Jingu South Road, Huadu District,
Guangzhou
510890 Guangdong, P.R. China
5. Yongden Technology Corporation
345 MacArthur Highway, Tabang,
Guiguinto, Bulacan 3015
Philippines
6. MEAN WELL INDIA ELECTRONICS PRIVATE
LIMITED
9C, Peenya industrial area, Chokkasandra, 2ND PHASE, PEENYA,
Bengaluru (Bangalore) Urban, Karnataka, 560058
India

Additional information (if necessary)

Report Ref. No. : CN23UQ0R 001

Date: 2023-11-28

Signature:



Hongyan Yu